


Pass-through dishwasher DS Eco500LPR



- ▶ Pass-through dishwasher with thermal disinfection
- ✓ Wash cycle run-time: 600 seconds
- ✓ Tank temperature: 65 °C
- ✓ Boiler temperature: 87 °C



- ▶ Output/hour: 12–45 baskets
- ▶ Run-time: 50 / 90 / 120 / 180 / 300 / 600 seconds
- ▶ Tank volume: 20 litres
- ▶ Tank heater: 2.7 kW
- ▶ Boiler heater: 9 kW

Description

A clean thing - for crockery and the environment. The DS Eco500LPR is a double-walled feed-through dishwasher with heat recovery. It impresses users with its top quality, great cleaning power, and short cycle time. The thermal disinfection ensures perfectly clean, germ-free crockery and meets hygiene standards.

Features

- Tray size max.: 530 x 325 mm
- Hood with automatic start function: Yes
- Height-adjustable feet: Yes
- Height adjustable: 1595 mm to 1660 mm
- Height when hood is open: 2065 - 2130 mm
- Glasses height max.: 410 mm
- Plate height max.: 410 mm
- Not included in delivery: Feed/removal table, pre-cleaning
- Basket dimensions: 500 x 500 mm
- Run-time: 50 / 90 / 120 / 180 / 300 / 600 seconds
- Output / hour max.: 12 - 45 baskets
- Number of wash programs: 5 preset programmes
1 configurable programme
- Tank volume: 20 litre(s)
- Water consumption at 2 bar: 3.5 litres / wash cycle
- Water pressure: 2 - 4 bar
- Water supply: G 3/4" M



- ▶ Pass-through dishwasher with heat recovery



- ▶ We recommend a hot water connection
- ▶ Easy operation via colour display

▶ Continue on the next page

Pass-through dishwasher DS Eco500LPR

- Water outlet: Ø 24 mm
- Tank heater: 2.7 kW
- Boiler heater: 9 kW
- Lye pump: Yes
- Cleaning agent dosing pump: Yes
- Water softener: No
- Clear rinsing dosing pump: Yes
- Cold rinsing: No
- Self-cleaning: Yes
- Double-walled: Yes
- Dry-run protection: Yes
- Safety thermostat: Yes
- Door contact switch: Yes
- ON/OFF switch: Yes
- Control lamp: ON/OFF
Start/Stop
- Display: 9 languages
Tank temperature and status
Boiler temperature and status
Programme code and name
Colour display, 2.8 inch
- Properties: Thermal disinfection in accordance with DIN 10512, Spec 10534
Heat recovery
Multi-lingual control menu
Inline or corner installation
- Water intake temperature: 5 °C to 10 °C
- Including: 1 universal basket (W 500 x D 500 x H 105 mm)
1 plate basket (W 500 x D 500 x H 105 mm)
1 cutlery basket (Ø 120 mm, H 120 mm)
1 supply hose
1 drainage hose
- Equipment connection: 3 NAC
- Power load: 9.9 kW | 400 V | 50 Hz
- Material: CNS 18/10
- Important information: -
- Size: W 720 x D 805 x H 2,115 mm
- Weight: 145.4 kg



Pass-through dishwasher DS Eco500LPR

Add on Products

Universal basket 500x500x100



- Inside height: 84 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat

Code-No. 5301
GTIN 4015613653952

Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays
Plates

Code-No. 5303
GTIN 4015613653976

Cutlery basket 500x500x100



- Inside height: 84 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Cutlery

Code-No. 5302
GTIN 4015613653969

Dishwasher basket trolley TGS100

CNS



- Tilting: All-round
- Size Carrying capacity: W 513 x D 583 mm
- Model: With transport surface
- Application area: Transporting
Serving
- Total load-bearing capacity, max.: 120 kg
- With handle(s): Yes

Code-No. 300143
GTIN 4015613523712

Pass-through dishwasher DS Eco500LPR

Add on Products

Cutlery holder, 8 compartments



- Properties: -
- Stackable: Yes
- Basket size: 430 x 210 mm
- Number of shelves: 8
- Colour: Brown
- Design: Divided
- Suitable for: Cutlery

Code-No. 5305
GTIN 4015613653990

Single handle mixer 40L-1801B



- Fitting type: Single lever mixer
- Design: Mixer tap with dishwashing shower arm
- Diameter table borehole: 42 mm
- Flow at 3 bar: Shower arm: 18 L / min.
Jet regulator: 40 L / min.
- Handles: Chrome
Thermally insulated

Code-No. 400123
GTIN 4015613438955

Dishwasher basket, 16 comp.



- Compartment size: 111 x 111 mm
- Properties: -
- Inside height: 166 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 16
- Colour: Brown

Code-No. 5319
GTIN 4015613654676

Pre-clearing table DS-LI1B SKE

STAINLESS
STEEL



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 40 litre(s)
- Size basin: W 400 x D 400 x H 250 mm
- Position sink: Right
- Water outlet: 1 1/2"

Code-No. 109940
GTIN 4015613771007

Pass-through dishwasher DS Eco500LPR

Add on Products

Rubbish bin 56L

CNS
18/10



- Swivel casters: 4 swivel casters
- Height without casters: 540 mm
- Diameter casters: 60 mm
- Content: 56 litre(s)
- Lid properties: Detachable, with handle
Can be attached to the side of the bucket
- Separate inner container: No

Code-No. 860006
GTIN 4015613630670

Pre-clearing table DS-RE1B SKE

STAINLESS
STEEL



- Height adjustable: 860 mm to 930 mm
- Beaker capacity: 40 litre(s)
- Size basin: W 400 x D 400 x H 250 mm
- Position sink: Left
- Water outlet: 1 1/2"

Code-No. 109960
GTIN 4015613785158

Dishwasher basket, 36 comp.



- Compartment size: 73 x 73 mm
- Properties: -
- Inside height: 166 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 36
- Colour: Brown

Code-No. 5339
GTIN 4015613654829

Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Setting possibilities: Brine dosing
Time
Time-based regeneration
- Regeneration: Time period
- Operating pressure: 3 - 6 bar

Code-No. 109952
GTIN 4015613797762

Pass-through dishwasher DS Eco500LPR

Add on Products


Dishwasher basket, 25 comp.



- Compartment size: 89 x 89 mm
- Properties: -
- Inside height: 166 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 25
- Colour: Brown

Code-No. 5328
GTIN 4015613654768

Dishwasher basket, 49 comp.



- Compartment size: 62 x 62 mm
- Properties: -
- Inside height: 166 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 49
- Colour: Brown

Code-No. 5352
GTIN 4015613654898

Water softening system WEH1500



- Water intake temperature from: 1 °C
- Water intake temperature to: 30 °C
- Setting possibilities: Interval
Regeneration
Time
Water hardness
Day of the week

Code-No. 109901
GTIN 4015613800974

Dishwasher cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: Yes

Code-No. 173270
GTIN 4015613773315

Pass-through dishwasher DS Eco500LPR

Add on Products

Dishwasher cleaner F10LXTRA



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No

Code-No. 173271
GTIN 4015613767895

Rinsing agent F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Content: 10 litres
- Model: Liquid
- Ph level: 2

Code-No. 173272
GTIN 4015613767901